


Šifra	Naziv artikla	Opis	MP Cijena sa PDV-om	Slika
Unutrašnje HD kamere				
00359	Longse kamera LIRDNCV100A	1/4" Aptina 1.0MPix CMOS Sensor, 720P/960H, 2,8mm pokretni IR filter ,18 Smart IC dioda dometa do 20metara;AGC,DNR metalno antivanandal kuciste , 12V / 500 mA;CVI +analogni izlaz € 94 x 76(H) mm	18,00 €	
00001	Longse kamera LIRDLCHT100B	4 in 1 (AHD,CVI,TVI,CVBS) 1/4" 1.0MPix CMOS Senzor, 720P/960H, 2,8mm LIRDLCHT100B pokretni IR filter ,18 Smart IC dioda dometa do 20metara;OSD Manu 12V / 550 mA;plasticno kucište ; € 90 x 80(H) mm	20,00 €	
00208	Longse kamera LIRDLHTC100B	MP Indoor Dome AHD Camera with IR for night vision Name LIRDLHTC100B Image Sensor OV9732 Image Resolution 720P (1280x720) Infrared LEDs 14µ x 18PCS Max. IR distance 20m OSD Menu Yes White Balance Auto/Manual Noise Reduction DNR WDR Yes Model Name LIRDLHTC100B Focal Length 3.6mm and 2.8mm are available	20,00 €	
00211	Longse kamera LIRDNHCT100B	Inside HD 720p Dome Camera 1 MP CMOS Image sensor: CMOS 1/4ov, 1MP resolution 720p Infrared Remote Control 20 m (18 LEDs) Infrared Photodiode Self Control Lens: Fixed 3.6 mm Size: O94.5 x 76 (H) Weight: 450 g Package includes 1 x Camera 1 x User Manual Mounting Accessories CCTV Camera Power Supply and Connection Cable Not Included.	26,00 €	
00501	Longse kamera LIRDLAHTC200FE	2MP 4IN1 HD Dome IR 20m <ul style="list-style-type: none"> • 1/3"CMOS Sensor • AHD/CVI/TVI/CVBS 4 IN 1 • 3.6mm Fixed Lens • IR Distance Max. 20m • Indoor use, OSD&UTC Support 	31,50 €	
00209	Dahua kamera HAC-HDW1200M-0280B-S4	2MP HDCVI kamera u eyeball kućištu 4 u 1 TVI/AHD/CVI/CVBS režim. 0.02Lux/F1.85, 30IRE, 0Lux IR on. Maksimalna rezolucija 1920x1080. Fiksna optika 2.8mm. Nivo zaštite IP67. DWDR. Domet IC dioda 30 metara. 12v napajanje. Odgovarajuća dozna je PFA13A-E.	38,00 €	
00761	Dahua kamera HAC-HDW1200TLMQ-0280B-S4 unutrašnja	2MP HDCVI kamera u eyeball kućištu 4 u 1 TVI/AHD/CVI/CVBS režim. 0.02Lux/F1.9, 30IRE, 0Lux IR on. Maksimalna rezolucija 1920x1080. Fiksna optika 2.8mm. Nivo zaštite IP67. DWDR. Domet IC dioda 30 metara. 12v napajanje	39,50 €	
00238	Longse kamera LIRDQAD300NA	2 in 1 (AHD,TVI) 1/3" Aptina 3.1MPix CMOS Sensor, 2,8-12mm Varifokal pokretni IR filter,14µ x 44PCS IC dioda dometa do 30metara;OSD Manu Kućište izradjeno u kombinaciji plastike i metala;IP66,12 V DC/800 mA ; Samo sa XVR snimacima od 3Mpix ili vise Dimenzije € 120 x 104(H) mm	40,00 €	
00009	Longse kamera LIRDVCV130V	1/3" Omnivision 1.3Mpix CMOS , 960P/960H, 2,8-12mm VARIFOKAL pokretni IR filter ,36 IC dioda dometa do 30 metara;DNR metalno antivanandal kuciste ,12 V DC/700 mA ; CVI +analogni izlaz 125(W) x 105.8(H) x 135(D) mm	42,00 €	

00219	Longse kamera LIRDGCV130V	1/3" Omnivision 1.3MPix CMOS Sensor,960P/960H;3,6mm pokretni IR filter ,24 Smart IC diode dometa do 20metara;DNR metalno antivandal kućište , 12V / 350 mA;CVI +analogni izlaz € 89 x 76(H) mm	42,00 €	
00005	Longse kamera LIRDBAHTC200FSH	4 in 1 (AHD,CVI,TVI,CVBS) 1/2.8" SONY Starvis Back-illuminated CMOS sensor,2M/5M lite Output 3,6mm obj. 14µ x 18PCS With IR-CUT, DWDR,DNR,UTC,OSD. AHD/TVI: 5M@20fps, 4M@30fps,2M@30fps; CVI: 4M@30fps, 2M@30fps 12V / 550 mA;metalno kućište; IP67; € 93 x 74(H) mm	46,00 €	
00010	Longse kamera LIRDVCHT130S	4 in 1 (AHD,CVI,TVI,CVBS) 1/3" SONY 1.3Mpix CMOS , 960P/960H, 2,8-12mm VARIFOKAL pokretni IR filter ,36 IC dioda dometa do 30 metara;OSD Manu metalno antivandal kućište ,12 V DC/700 mA 125(W) x 105.8(H) x 135(D) mm	48,00 €	
00007	Longse kamera LIRDBAHTC500FK	4 in 1 (AHD,CVI,TVI,CVBS) 1/2.5" 5MP CMOS senzor 3,6mm pokretni IR filter ,18 Smart IC dioda dometa do 20metara; OSD Manu AHD: 5M@20fps/12.5fps, 4M@30fps/15fps, 2M@30fps; TVI: 5M@20fps/12.5fps, 4M@30fps/15fps,2M@30fps; 2M@30fps; CVI: 4M@30fps, 2M@30fps 12V / 550 mA;metalno antivandal kućište ; € 94 x 76(H) mm	54,00 €	
00787	Longse kamera CMSDHTC200ESHW SONY Starvis, Full color, 2Mpix/5Mpix	5MP Lite Indoor Full Color Fixed Dome HD Camera <ul style="list-style-type: none"> • Video Output Mode: AHD/TVI:5M@20fps/12.5fps, CVI: 4M@30fps; • 1/2.8"SONY Starvis Back-illuminated CMOS sensor; • Support Warm white (4000K). Light Distance : up to 25m ; • Support OSD Menu ; • Support WDR; • Housing: Metal&Plastic, IP65; Video Output ModeAHD/TVI: 5M@20fps/12.5fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps	55,00 €	  
00502	Longse kamera LIRDBAHTC200ESL	2MP 4IN1 HD Dome IR 20m <ul style="list-style-type: none"> • 1/2.8"SONY Starvis Back-illuminated CMOS Sensor • AHD/CVI/TVI/CVBS 4 IN 1 • 3.6mm Fixed Lens • IR Distance Max. 20m • IP66 Outdoor, OSD&UTC Support 	54,50 €	
00011	Longse kamera LIRDQCHT130J	4 in 1 (AHD,CVI,TVI,CVBS) 1/3" 1.3Mpix CMOS , 960P/960H, 2,8-12mm VARIFOKAL pokretni IR filter ,14µ x 24PCS IC dioda dometa do 30metara; OSD Manu kućište izrađeno u kombinaciji plastike i metala;IP66,12 V DC/800 mA Dimenzije € 120 x 104(H) mm	63,00 €	
00013	Longse kamera LIRDVCHT200V	4 in 1 (AHD,CVI,TVI,CVBS) 1/2.7" Omnivision 2.1Mpix CMOS, 1080P, 2,8-12mm VARIFOKAL pokretni IR filter ,36 IC dioda dometa do 30 metara;DNR;UTC metalno antivandal kućište ,12 V DC/700 mA ; Samo sa 1080 ili 1080N DVR snimačima 125(W) x 105.8(H) x 135(D) mm	63,00 €	
00008	Longse kamera LIRDGHTC500FS	4 in 1 (AHD,CVI,TVI,CVBS) 1/2.9" SONY 5MP Starvis Back-illuminated CMOS sensor, 3,6mm pokretni IR filter ,18 Smart IC dioda dometa do 20metara; OSD Manu AHD: 5M@20fps/12.5fps, 4M@30fps/15fps, 2M@30fps; TVI: 5M@20fps/12.5fps, 4M@30fps/15fps,2M@30fps; 2M@30fps; CVI: 4M@30fps, 2M@30fps 12V / 550 mA;metalno antivandal kućište Size: € 89 x 76(H) mm	65,00 €	
00792	Longse kamera LIRDBAHTC500FKP 5Mpix/4K	* 1/2.5" CMOS sensor, * 5M/4K Lite, DWDR, * 3DNR, UTC, OSD, With IR- CUT * AHD/TVI: 8M@15fps, 5M@20fps/12.5fps, 4M/2M@30fps/25fps;CVI: 8M@15fps/12.5fps, 4M/2M@30fps/25fps	67,00 €	 
00014	Longse kamera LIRDQCHT200FS	4 in 1 (AHD,CVI,TVI,CVBS) 1/2.7" SONY 2.1Mpix CMOS Senzor, 1080P, 2,8-12mm VARIFOKAL pokretni IR filter , IC 14µ x 24PCS dometa do 30 metara;OSD Manu kućište izrađeno u kombinaciji plastike i metala;IP66,12 V DC/800 mA ; Samo sa 1080 ili 1080N DVR snimačima Dimenzije € 120 x 104(H) mm	77,00 €	

00222	Longse kamera LIRDCAHTC200FSH	2MP 4IN1 HD Dome IR 30m <ul style="list-style-type: none"> • 1/2.8"SONY Starvis Back-illuminated CMOS sensor • AHD/CVI/TVI/CVBS 4 IN 1 • 2.8-12mm Varifocal Lens • IR Distance Max. 30m • IP66 Outdoor, OSD&UTC Support 	77,00 €	
00239	Longse kamera LIRDQHTC200FS - plava	4 in 1 (AHD,CVI,TVI,CVBS) 1/2.7" SONY 2.1Mpix CMOS Senzor, 1080P, 2,8-12mm VARIFOKAL pokretni IR filter ,IC 14µ x 24PCS dometa do 30 metara;OSD Manu Kućište izrađeno u kombinaciji plastike i metala;IP66,12 V DC/800 mA ; Samo sa 1080 ili 1080N DVR snimacima Dimenzije 6 120 x 104(H) mm	77,00 €	
00240	Longse kamera LIRDQHTC200FS - crvena	4 in 1 (AHD,CVI,TVI,CVBS) 1/2.7" SONY 2.1Mpix CMOS Senzor, 1080P, 2,8-12mm VARIFOKAL pokretni IR filter ,IC 14µ x 24PCS dometa do 30 metara;OSD Manu Kućište izrađeno u kombinaciji plastike i metala;IP66,12 V DC/800 mA ; Samo sa 1080 ili 1080N DVR snimacima Dimenzije 6 120 x 104(H) mm	77,00 €	
00015	Longse kamera LIRDCAHTC500ESL	2 in 1 (AHD,TVI) 1/2.8" SONY 5Mpix Starvis Back-illuminated CMOS sensor; 2,8-12mm pokretni IR filter,14µ x 44PCS IC dioda dometa do 30metara;OSD Manu WDR, 3DNR, Defog, Smart-IR, UTC, OSD, With IR-CUT AHD/TVI: 5M@20fps/12.5fps, 4M/2M@30fps; CVI: 4M/2M@30fps Samo sa XVR snimacima od 3Mpix ili vise Dimenzije 6 119 x 98 (H) mm	88,00 €	
Spoljašnje HD kamere				
00499	Longse kamera LBM24HTC200F	2MP 4IN1 HD Bullet IR 20m <ul style="list-style-type: none"> • 1/2.9"CMOS Sensor • AHD/CVI/TVI/CVBS 4 IN 1 • 3.6mm Fixed Lens • IR Distance max 20m • IP66 outdoor, OSD&UTC support 	30,00 €	
00236	Longse kamera LBW30AD300NA	2 in 1 (AHD,TVI) 1/3" Aptina 3.1Mpix CMOS Senzor, 2,8mm pokretni IR filter ,42µ x 2PCS IC dioda dometa do 30metara; OSD Manu za spoljnu montažu IP66DC12V±10%, 600mA 162(W) x 88(H) x 86(D)mm	32,00 €	
00785	Longse kamera BMSDHTC200FPE 2Mpix/5Mpix	5MP Lite Outdoor Fixed Bullet HD Camera <ul style="list-style-type: none"> • Video Output Mode: AHD/TVI:5M@20fps/12.5fps, CVI: 4M@30fps/25fps; • 1/3"CMOS Sensor; • Support OSD Menu ; • Support DWDR; • Housing: Metal, IP67 Video Output ModeAHD/TVI: 5M@20fps/12.5fps, 4M@30fps/25fps/15fps, 2M@30fps/25fps; CVI: 4M@30fps/25fps, 2M@30fps/25fps	39,00 €	 
00760	Dahua kamera HAC- HFW1200T-0280B spoljašnja	2MP HDCVI kamera u bullet kućištu 4 u 1 TVI/AHD/CVI/CVBS režim. 0.02Lux/F1.9, 30IRE, 0Lux IR on. Maksimalna rezolucija 1920x1080. Fiksna optika 2.8mm. Nivo zaštite IP67. DWDR. Domet IC dioda 30 metara. 12v napajanje.	39,50 €	
00212	Dahua kamera DH-HAC- HFW1200TP	HDCVI kamera, 2 megapiksela, 1080P, vodootporna, u IP67 kućištu, sa infracrvenim diodama 1/ 2.7" 2 megapiksela CMOS čip, 25/30fps@1080P, 25/30/50/60fps@720P, veoma brz prenos u realnom vremenu, izbor HD i SD prenosa slike, OSD meni, izbor HD i SD (analognog) prenosa slike , dan/noć funkcija, ICR filter, AWB, AGC, BLC, 2D-DNR, objektiv 3,6mm, Smart infracrvene diode maksimalnog dometa do 30m, IP67, DC12V.	40,00 €	
00018	Longse kamera LBH30THC200FS	4 in 1 (AHD,CVI,TVI,CVBS) 1/2.9" SONY 2.1Mpix CMOS Senzor, 1080p ; 3,6mm pokretni IR filter ,42µ x 2PCS IC dioda dometa do 30metara; OSD Manu za spoljnu montažu IP66DC12V±10%, 600mA 157(W) x 70(H) x 66(D)mm	46,00 €	
00358	Longse kamera LBH30HTC200FSH	1/2.8" SONY Starvis Back-illuminated CMOS sensor, 1080P, AHD / TVI / CVI / CVBS, vodootporna kamera rezolucije 2 megapiksela, megapiksela objektiv 3.6 mm, IR-CUT, IP67, DWDR, UTC, DNR, OSD, 20 IC dioda dometa do 25m, napajanje DC12V / 700mA, dimenzije 157(W) x 70(H) x 66(D)mm, težina 650g	46,00 €	

00500	Longse kamera LBH30HTC200ESL	2MP 4IN1 HD Bullet IR 25m <ul style="list-style-type: none"> • 1/2.8"SONY Starvis Back-illuminated CMOS Sensor • AHD/CVI/TVI/CVBS 4 IN 1 • 3.6mm Fixed Lens • IR Distance max 25m • IP66 outdoor, OSD&UTC support 	46,00 €	
00020	Longse kamera LBH30HTC500FK	4 in 1 (AHD,CVI,TVI,CVBS) 1/2.5" 5MPix 3,6mm CMOS Senzor, 5M,IR-CUT,DWDR,DNR,UTC,OSD pokretni IR filter ,42μ x 2PCS IC dioda dometa do 30metara; OSD Manu AHD: 5M@20fps/12.5fps, 4M@30fps/15fps, 2M@30fps; TVI: 5M@20fps/12.5fps, 4M@30fps/15fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps za spoljnu montažu IP66DC12V±10%, 600mA 157(W) x 70(H) x 66(D)mm	57,00 €	
00784	Longse kamera BMSAHTC500FKE 5Mpx/4K	4K Lite Outdoor Full Color Fixed Bullet HD Camera <ul style="list-style-type: none"> • AHD/TVI HD Bullet • 1/2.5" CMOS sensor • 3.6mm Fixed Lens • IR Distance Max. 25m • Metal, IP67 • AHD: 8M@15fps, 5M@20fps/12.5fps, 4M@30fps/25fps/15fps, 2M@30fps/25fps; TVI: 8M@15fps/12.5fps,5M@20fps/12.5fps,4M@30fps/25fps/15fps, 2M@30fps/25fps; CVI: 8M@15fps/12.5fps,5M@20fps/12.5fps4M/2M@30fps/25fps 	65,00 €	  
00216	Longse kamera LBH30HTC500FK	5MP 4IN1 HD Bullet IR 25m <ul style="list-style-type: none"> • 1/2.5"CMOS Sensor • AHD/CVI/TVI/CVBS 4 IN 1 • 3.6mm Fixed Lens • IR Distance Max. 25m • IP66 Outdoor, OSD&UTC Support 	57,00 €	
00021	Longse kamera LIZM60HTC200FS	4 in 1 (AHD,CVI,TVI,CVBS) 1/2.7" SONY 2.1Mpix CMOS Senzor, 1080P, 2,8-12mm VARIFOKAL pokretni IR filter ,42μ x 4PCS IC dioda dometa do 40metara; OSD Manu kućište za spoljnu montažu,IP 66 zaštita ,12 V DC/750 mA Samo sa 1080 ili 1080N DVR snimačima 290(W) x 92(H) x 80(D)mm	88,00 €	
00231	Longse kamera LIN60HTC200FSH	2MP 4IN1 HD Bullet IR 40m <ul style="list-style-type: none"> • 1/2.8"SONY Starvis Back-illuminated CMOS sensor • AHD/CVI/TVI/CVBS 4 IN 1 • 2.8-12mm Varifocal Lens • IR Distance Max. 40m • IP67 Outdoor, OSD&UTC Support 	88,00 €	
00790	Longse kamera LBP60HTC200ESH 2,8-12mm 2Mpix/5 Mpix	* 1/2.8" SONY Starvis Back-illuminated CMOS sensor * 5M:2592*1944 4M:2560*1440 2M:1920*1080 * Focus Length: Varifocal 2.8-12mm * Infrared LED: 42μ x 4PCS - 40m daljina AHD/TVI: 5M@20fps/12.5fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps	99,00 €	 
00213	Longse kamera LIZM90HTC500FSL	4K Lite 4IN1 HD Bullet IR 60m <ul style="list-style-type: none"> • 1/2.8"SONY Starvis Back-illuminated CMOS sensor • AHD/CVI/TVI/CVBS 4 IN 1 • 2.8-12mm Varifocal Lens • IR Distance Max. 60m • IP66 Outdoor, OSD&UTC Support 	110,00 €	
00791	Longse kamera LBP90HTC500ESL 2,8-12mm 5Mpix/4K	* 1/2.8" SONY Starvis Back-illuminated CMOS senso * 8M:3840*2160 5M:2592*1944 4M:2560*1440 2M:1920*1080 * Focus Length: Varifocal 2.8-12mm * Infrared LED: 46μ x 4PCS - 60m daljina AHD: 8M@15fps, 5M@20fps/12.5fps, 4M@30fps/25fps/15fps; 2M@30fps/25fps; CVI: 8M@15fps/12.5fps, 4M/2M@30fps/25fps; TVI: 8M@15fps/12.5fps, 5M@20fps/12.5fps, 4M/2M@30fps/25fps	128,00 €	 
IP kamere				
00039	Longse IP kamera LIRDBAHSF200	HD-IP kamera 1/2.9" CMOS Sensor, HISILICON Hi3516EWDR, With IR-CUT With Internal POE;Main Stream: 1080P/720P@20fps; 3MP HD Lens "Water resistance: IP66; IR LED: 14μ x 18PCS IR range: 20m" 12V / 750 mA;metalno antivandal kućište : ø94 x 69(H) mm	54,00 €	
00223	Longse IP kamera LIRDBASF200	2MP Outdoor Fixed Dome IP IR 20m <ul style="list-style-type: none"> • 1/2.9"CMOS Sensor • H.265+/H.265/H.264+/H.264 Compression Method • 3.6mm Fixed Lens • IR Distance 20m Max. • IP66 Outdoor Metal Case 	54,00 €	

00503	Longse IP kamera LIRDBAFE200	2MP Outdoor Fixed Dome IP IR 20m <ul style="list-style-type: none"> • 1/2.9"CMOS Sensor • H.264/H.265/JPEG/AVI/MJPEG Compression Method • 3.6mm Fixed Lens • IR Distance 20m Max. • IP67 Outdoor Metal Case 	67,00 €	
00504	Longse IP kamera LBH30FE200	LBH30FE200 2MP Outdoor Fixed Bullet IP IR 25m <ul style="list-style-type: none"> • 1/2.9"CMOS Sensor • H.264/H.265/JPEG/AVI/MJPEG Compression Method • 3.6mm Fixed Lens • IR Distance 25m Max. • IP67 Outdoor Metal Case 	67,00 €	
00506	Longse IP kamera CMSAFE500	5MP Outdoor Fixed Dome IP IR 25m <ul style="list-style-type: none"> • 1/2.5"High-resolution CMOS Sensor • H.264/H.264+/H.265/H.265+ Compression Method • 3.6mm Fixed Lens • IR Distance 25m Max. • IP67 Outdoor Metal Case 	86,50 €	
00505	Longse IP kamera BMSAFE500	5MP Outdoor Fixed Bullet IP IR 25m <ul style="list-style-type: none"> • 1/2.5"High-resolution CMOS Sensor • H.264/H.264+/H.265/H.265+ Compression Method • 3.6mm Fixed Lens • IR Distance 25m Max. • IP67 Outdoor Metal Case 	95,00 €	
00041	Longse IP kamera LBH30S200W wifi-sd	WiFi kamera IP kamera sa micro SD slotom 1/2.9" 3,6mm SONY Low Illumination CMOS Sensor H.265/H.264; Interni MicroSD slot za karticu do 128Gb pokretni IR filter ,42μ x 4PCS IC dioda dometa do 30metara IP66 za spoljašnju montažu;DC12V±10%, 900mA 157(W) x 70(H) x 66(D)mm	95,00 €	
00507	Longse IP kamera LBH30FK500W wifi-sd	5MP Outdoor Fixed Bullet Wifi IP Distance 300m Max. <ul style="list-style-type: none"> • 1/2.5"High-resolution CMOS Sensor • H.265/H.264 Compression Method • 3.6mm Fixed Lens • With SD Card Slot (Max. 256GB) • IR Distance 25m Max. • IP67 Outdoor Metal Case 	95,00 €	
PTZ kamere				
00033	Longse PTZ kamera LPTA12XCG	1/3" Super HAD II Sony CCD, Effio-e 12X(f=5~60mm), Color 650TVL, Waterproof Outdoor IP66 PAL:976 (H)× 494(V) NTSC :976 (H) ×582 (V) 12X optical zoom lens(f=5~60mm)0.001Lux/F2.0 PAL:625 Lines, 50 Field/Sec;NTSC:525 Lines, 60 Field/Sec Auto:PAL 1/50-1/100, 000Sec;NTSC 1/60-1/100, 000Sec DC12V 700mA; -10°C ~ +50°C RH95% Max 138x212mm / 3kg	70,00 €	
00225	Longse PTZ kamera PTDA4XHSL200	2MP 4X Mini Outdoor Dome IP <ul style="list-style-type: none"> • 1/2.9"SONY Low Illumination 2.1MP CMOS Sensor • H.265/H.264 Compression Method • 4X Optical Zoom (f=2.8mm-12mm) • IR Distance 35m • IP66 Outdoor 	150,00 €	
00226	Longse PTZ kamera PTDA4XSL200	2MP 4X Mini Outdoor Dome IP <ul style="list-style-type: none"> • 1/2.8"SONY Starvis Back-illuminated CMOS Sensor • H.265/H.264 Compression Method • 4X Optical Zoom (f=2.8mm-12mm) • IR Distance 35m • IP66 Outdoor 	150,00 €	
00227	Longse PTZ Kamera PTDAHTC5004XNS	5MP 4X Mini Outdoor Dome HD <ul style="list-style-type: none"> • 1/2.9"SONY CMOS Sensor 5MP • 3IN1: AHD/HD-TVI/CVBS • 4X Optical Zoom (f=2.8mm-12mm) • IR Distance 60m • IP66 Outdoor 	150,00 €	
00793	Longse PTZ kamera PTDAHTC2004XNS SONY cmos 2,1 Mpix	2MP 4X Outdoor IR PTZ Camera <ul style="list-style-type: none"> • 1/2.9"SONY 2.1MP CMOS Sensor; • 4X Optical Zoom • Focus Length 2.8mm-12mm • Horizontal Rotation Range :0°~355° • Tilt Rotation Range :0°~70° • IR Range:20m • Support UTC • Weatherproof:IP66 	155,00 €	 








00034	Longse PTZ kamera PT7B018HTC200NS	3 in 1 (AHD,TVI,CVBS) 1/2.9"SONY CMOS Sensor 1080P - 2,1Mpix Horizontalna rezolucija 960p; objektiv 5mm-90mm 18XOptical zoom(f=5.35mm-96.3mm);Waterproof Outdoor IP66 Horizontal 180°, Vertical 90°;200°/s; 200 Preset Points Domet IC dioda 120 metara ; Auto control IR LED Communication Protocol:Pelco-D,Pelco-P ;RS485 Waterproof Outdoor IP66; Outdoor: -40°~ +60° DC12V / 3A 32x32x43(cm) 10,2 kgs	380,00 €	
00508	Longse PTZ kamera PT6A18XHSL200	2MP AI IP PTZ Bullet <ul style="list-style-type: none">• 1/2.8"SONY Starvis Back-illuminated CMOS Sensor• H.264/H.265 Compression Method• support 3D Human Tracking, Intrusion Detection, Alarm Detection• 18X Optical Zoom• Tracking effective range:5-80M Speed: 3-12KM/h• IP66 Outdoor	458,50 €	
Smart i baterijske kamere				
00797	Longse PTZ kamera TY02 SD slot, WiFi 3,0 Mpix	* 1/2.9"CMOS sensor * Rezolucija 3MPx 2304(H)*1296(V) * Focus Length 3.6mm F2.0 * Infrared LED 14μ x 6PCS do 10m * Main Stream 2304*1296@20fps * WIFI domet do 350m Max * Day/Night Color/ B&W (IR-CUT) * Podrška za SD karticu	69,00 €	 NOVO
00796	Longse PTZ kamera TQ01 SD slot, WiFi 3,0 Mpix	* 1/2.9"CMOS sensor * Rezolucija: 3MP 2304(H)*1296(V) * Horizontal Rotation Range 0~270° * Tilt Rotation Range 0~90° * Focus Length 4mm F2.0 * Infrared LED 4 pcs Infrared lamp + 4 pcs LED lamp bead do 15metara * Main Stream 2304*1296@20fps * WIFI domet do 350m Max * Day/Night Color/ B&W (IR-CUT) * Kućište plastika - zaštita IP65 * Podrška za SD kartice do 128GB	95,00 €	 NOVO
00794	Longse kamera sa baterijom R2A WiFi 2,0 Mpix	R2A Model je 2 MP i ima širok objektiv 2.8mm F1.6. Svojom viskom rezolucijom približit će svaki detalj, kako slike tako i video materijala. Kamera ima mjesto za Micro SD i podržava karticu do 128GB. Ista dolazi sa ugrađenim zvučnikom i mikrofonom. Noćni IR domet do 7 metara. U kameri je ugrađen zvučnik i mikrofon. Otporna je na vodu i prašinu IP65 standarda. U koliko na lokaciji imate internet istu je jednostavno spojiti na vaš ruter i kameru pratiti sa udaljene lokacije putem LongPlus aplikacije. Radna temperatura od -10 do 45 stepeni. Težina 350g 1/2.9" Progressive Scan CMOS GC2063+T31ZL SOC, Built-in Rechargeable Battery 5200mAh, Low Power, Consumption, Image Resolution: Max: 1920*1080P@ 15fps, Support Cloud storage, Micro SD card (up to 128GB) , Two way Audio, Motion Detection, Push video to Smart Phone, Full Color Night Vision. Wire-Free Battery Powered Low-consumption, Camera Dustproof & Waterproof Resistance: IP65 Led: High Powered Infrared & White LEDs Lens: 2.8mm Wide Angle Lens Power: Rechargeable Battery (5200mAh), Operating Temperature: -10 to 45° Size: 67mm*58mm*89mm(without bracket)	120,00 €	 NOVO
00795	Longse kamera sa baterijom R4A SD slot, WiFi 4,0 Mpix	R4A Model je 4 MPx i ima širok objektiv 2.8mm F1.6. Svojom viskom rezolucijom približit će svaki detalj, kako slike tako i video materijala. Ovaj model dolazi sa još većim kapacitetom baterija 9600 mAh. Longse FULL COLOR R4A Model je 4 MPx i ima širok objektiv 2.8mm F1.6. Svojom viskom rezolucijom približit će svaki detalj, kako slike tako i video materijala. Ovaj model dolazi sa još većim kapacitetom baterija 9600 mAh. Kamera ima mjesto za Micro SD i podržava karticu do 128GB. Ista dolazi sa ugrađenim zvučnikom i mikrofonom. Noćni IR domet do 7 metara. U kameri je ugrađen zvučnik i mikrofon i posjeduje dvosmjernu audio komunikaciju, alarm i besplatno čuvanje video zapisa na Cloudu 7 dana. Otporna je na vodu i prašinu IP65 standarda U koliko na lokaciji imate internet istu je jednostavno spojiti na vaš ruter i kameru pratiti sa udaljene lokacije putem LongPlus aplikacije. Radna temperatura od -10 do 45 stepeni. Težina 420g 1/2.9" Progressive Scan CMOS GC2063+T31ZL SOC, Built-in Rechargeable Battery 9400mAh, Low Power, Consumption, Image Resolution: Max: 1920*1080P@ 15fps, Support Cloud storage, Micro SD card (up to 128GB) , Two way Audio, Motion Detection, Push video to Smart Phone, Full Color Night Vision. Wire-Free Battery Powered Low-consumption, Camera Dustproof & Waterproof Resistance: IP65 Led: High Powered Infrared & White LEDs Lens: 2.8mm Wide Angle Lens Power: Rechargeable Battery (5200mAh), Operating Temperature: -10 to 45° Size: 84mm x 62mm x 92.5mm (without bracket)	150,00 €	 NOVO
XVR Snimači 4 kanala				








00729	Dahua snimač DH-XVRS104HS-12	Penta-brid video snimač sa 4 analogna kanala plus 2 dodatnih ip kanala rezolucije do 6MP. AI tehnologija. Maksimalna rezolucija snimanja 5MP. Frame rate: 5M-N (1fps-10fps); 4M-N/1080P (1fps-15fps); 1080N/720P/960H/D1/CIF (1fps-25/30fps). Kompresija snimanja: H.265+. 1x VGA, 1x HDMI, 1x audio in, 1x audio out. 1x RJ45 10M/100M mrežni interfejs. 2x USB 2.0. RS485 komunikacija. 1HDD maksimalnog kapaciteta 6TB po disku. Face Recognition, Perimeter Protection, SMD Plus.	99,00 €	
00055	Longse Snimač LS-CVR5104D	Hibrid HD digitalni rekorder - podrzava ,HDCVI ,analog i IP kamere CVI: 4CHx1080P / IPC: Max 2CHx1080P Snimanje: HDCVI: 720P real-time; 1080p 12fps po kanalu IPC:1080P/960P/720P real-time; Pregled 720P /1080P;YU jezik Multi-channel playback: 4CHx720P@30fps;Mobile client software / P2P 1xVGA,1xHDMI, PTZ, RS485 x 1, 2 x USB, 1xAudio 1 SATA Hard Disk Interface (Up to 4TB); 2xUSB (1 Rear) ; 1xRJ45; Dimensions (LxWxH): 258*232*42(mm) Weight: 2.2kg	50,00 €	
00490	Longse XVRT3004D	Analog: PAL:5MP_Lite(1296x1944 4*8fps),4MP_Lite(1280x1440 4*15fps),3MP_Lite(1024x1536 4*18fps),1080N(960x1080 4*18fps),720P(1280x720 4*20fps), 960H(960x480 4*25fps)	84,00 €	
00056	Longse Snimač XVRDA2104D	Četvorokanalni petobridni XVR snimač 1080P- 8M DIY Video Input: HD includes AHD, HD-CVI, HD-TVI-(Analog) HD: Max 4CH-30fps / IPC: Max 16CH-30fps / Analog: Max 4CH-30fps Snimanje: TVI: 5M, PAL every channel 1fps-12fps adjustable AHD/TVI: 4M, PAL every channel 1fps-15fps adjustable AHD/TVI: 3M, PAL every channel 1fps-18fps adjustable HD: 1080P/720P, PAL every channel 1fps-25fps adjustable Analog: 960H, PAL every channel 1fps-25fps adjustable; IPC: 8MP/6MP/5MP/4MP/3MP/2MP/1MP Video out:1xHDMI (Max.2K) /1xVGA /1xCVBS;RCA 4CH In/ 1CH Out 1 SATA Hard Disk Interface (2.5"/3.5" SATA, Up to 6TB) Preview resolution: 5M/4M/3M/1080P/720P;Support 1&4 channels mode Dimensions (LxWxH): 260*215*43(mm) Weight: 2kg	110,00 €	
00798	Longse snimač XVRF5004D H265/265+ 8M	4 Kanala hibridni snimač <ul style="list-style-type: none"> • Support Analog/AHD/CVI/TVI 2.0/TVI 3.0/Network • Input:4CH BNC • Audio Input:4 ChannelRCA,support AOC • Support Alarm Input/Output • Support H.265/H.265+/H.264/H.264+ Video Compression • 1 SATA Hard Disk (2.5"/3.5"SATA, Up to 8TB) Record RateAnalog:PAL:8MP(3840*2160 4*8fps), 5MP(2560x1952 4*12fps), 4MP(2560x1440 4*15fps),3MP(2048x1536 4*18fps),1080P(1920x1080 4*25fps),720P(1280x720 4*25fps), 960H(960x576 4*25fps) NTSC:8MP(3840*2160 4*8fps), 5MP(2560x1952 4*12fps), 4MP(2560x1440 4*15fps),3MP(2048x1536 4*18fps),1080P(1920x1080 4*30fps),720P(1280x720 4*30fps), 960H(960x480 4*30fps) Pure IP(H.265): PAL :8MP@9x25fps, 5MP@12x25fps,4MP@16x25fps, 3MP@16x25fps, 1080P@16x25fps, 960P@16x25fps, 720P@16x25fps, D1@16x25fps NTSC:8MP@9x30fp, 5MP@12x30fps,4MP@16x30fps, 3MP@16x30fps, 1080P@16x30fps, 960P@16x30fps, 720P@16x30fps, D1@16x30fps	155,00 €	
XVR Snimači 8 kanala				
00202	Vook Snimač VDT2508HE - DVR	8ch Full DI H.264-4 DIGITALNI SNIMAC SnimanjeD1 : 960 X 576 pixels / 200 IPS (PAL) ili Cif 200IPS 8 video i 4 audio ulaza,VGA(1280X1024) i BNC video out+spot video out Nevjerovatno jednostavna i precizna pretraga snimljenog materijala Daljinski i usb mis;SATA HDDpodrzava 4sata hdd ukupno do 8TB kapaciteta USB i LAN/DVD back up,CMS radi sa svim poznatim mobilnim uredjajima, 8x alarmni ulazi i 1x alarmni izlazi,PTZ kontrola,Mnogobrojne funkcije Robusan dizajn ,mogucnost zakljucavanja poklopcaDVR-a 430 mm X 450 mm X 90 mm	40,00 €	
00203	Vook Snimač VDT2508HD - DVR	Premium 8ch Full DI H.264-4 DIGITALNI SNIMAC SnimanjeD1 : 704 X 576 pixels / 200 IPS (PAL) ili Cif 200IPS 8 video i 8 audio ulaza,VGA(1280X1024) i BNC video out+spot video out Nevjerovatno jednostavna i precizna pretraga snimljenog materijala Daljinski i usb mis;SATA HDDpodrzava 4sata hdd ukupno do 8TB kapaciteta USB i LAN/DVD back up,CMS radi sa svim poznatim mobilnim uredjajima, 8x alarmni ulazi i 1x alarmni izlazi,PTZ kontrola,Mnogobrojne funkcije Robusan dizajn ,mogucnost zakljucavanja poklopcaDVR-a 430 mm X 450 mm X 90 mm	60,00 €	
00057	Longse Snimač LS-CVR4108XD	Tribrid HD digitalni rekorder - podrzava Analogne,CVI i IP kamere CVI: max 8CHx720P/ IPC: Max 4CHx1080P / Analog: 8CHx960H/4CHxD1 Snimanje: HDCVI: 720P 8x25 fps 1080; Analog: 960H/D1real-time; IPC:1080P/960P/720P real-time; Pregled 720P /1080P;YU jezik Multi-channel playback: 8CHx720P@15fps;Mobile client software / P2P 1xVGA,1xHDMI, PTZ, RS485 x 1, 2 x USB, 1xAudio 1 SATA Hard Disk Interface (Up to 4TB); 2xUSB (1 Rear) ; 1xRJ45; Dimensions (LxWxH): 258*232*42(mm) Weight: 2.2kg	62,00 €	

NOVO

00453	Longse LS-CVR5208D	Hibrid HD digitalni rekorder - podrzava,HDCVI ,analog i IP kamere CVI: 4Chx1080P / IPC: Max 2Chx1080P / Analog: 4Chx960H/4ChxD1 Snimanje: HDCVI: 720P real-time /1080P 15fps po kanalu IPC:1080P/960P/720P real-time; Pregled 720P /1080P;YU jezik Multi-channel playback: 4Chx720P@30fps;Mobile client software / P2P 1xVGA,1xHDMI, PTZ, RS485 x 1, 2 x USB, 1xAudio 1 SATA Hard Disk Interface (Up to 4TB); 2xUSB (1 Rear) ; 1xRJ45; Dimensions (LxWxH): 258*232*42(mm) Weight: 2.2kg	62,00 €	
00498	Longse XVRT3008D	XVRT3008D 8CH H.265 5IN1 XVR 5M-N <ul style="list-style-type: none">• Support AHD/CVI/TVI/IP/Analog Camera Input• Up to HD 5MP and IP 5MP Resolution Recording• Support HD Output, VGA and CVBS Video Output• Support Max. 8CH HD or 16CH IP Camera Input• Support 1 SATA up to 8TB Capacity	120,00 €	
00810	Dahua snimač DH-XVRS108HS-13	Penta-brid video snimač sa 8 analogna kanala plus 8 dodatnih ip kanala rezolucije do 8MP. AI tehnologija. Maksimalna rezolucija snimanja 8MP. Frame rate: 4K (1fps-7fps); 6MP (1fps-10fps); 5MP (1fps-12fps); 4K/N, 4MP/3MP (1fps-15fps); 4M-N/1080P (1fps-25/30fps). Kompresija snimanja: H.265+. 1x VGA, 1x HDMI. 1x audio in, 1x audio out. 1x RJ45 10M/100M/1000M mrežni interfejs. 1x USB 2.0, 1x USB 3.0. RS485 komunikacija. 1HDD maksimalnog kapaciteta 16TB. Face Recognition, Perimeter Protection, SMD Plus.	130,00 €	
00520	Dahua snimač DH-XVRS108HS-12	Penta-brid video snimač sa 8 analogna kanala plus 4 dodatnih IP kanala rezolucije do 6MP. AI tehnologija. Maksimalna rezolucija snimanja 5MP. Frame rate: 5M-N (1fps-10fps); 4M-N/1080P (1fps-15fps); 1080N/720P/960H/D1/CIF (1fps-25/30fps). Kompresija snimanja: H.265+. 1x VGA, 1x HDMI. 1x audio in, 1x audio out. 1x RJ45 10M/100M/1000M mrežni interfejs. 2x USB 2.0. RS485 komunikacija. 1HDD maksimalnog kapaciteta 10TB po disku. Face Recognition, Perimeter Protection, SMD Plus.	130,00 €	
00059	Longse Snimač XVRDA3108D	Osmokanalni petobridni XVR snimač 1080P-4M-8M DIY Video Input: HD includes AHD, HD-CVI, HD-TVI HD: Max 8CH@30fps / IPC: Max 32CH@30fps / Analog: Max 8CH@30fps *Snimanje : 8MP(3840*2160 8*8fps), 5MP(2592*1944 8*12fps) 4MP(2560*1440 8*15fps),3MP(2048*1536 8*18fps), *1080P(1920x1080 8*25fps),720P(1280*720 8*25fps) 960H(960*576 8*25fps) IPC: 8MP/6MP/5MP/4MP/3MP/2MP/1MP, (Total incoming bandwid. <=200M), Preview resolution: 4M/3M/1080P/720P;Playback 1 or 4 channels mode 1 SATA Hard Disk interface (2.5"/3.5" SATA, Up to 8TB) Video Output: 1xHDMI/1xVGA/1xCVBS;Audio: RCA 4CH In/ 1CH Out Alarm I/O: Alarm 4CH In/ 1CH Out;1xRS485, 2 x USB, 1 x IR Controller, 1xRJ45 Dimensions (LxWxH): 354*280*50(mm) Weight: 3.5kg	208,00 €	
XVR Snimači 16 kanala				
00451	Vook VDT2516HE - DVR	16ch Full D1 H.264-4 DIGITALNI SNIMAČ SnimanjeD1 : 960 X 576 pixels / 400 IPS (PAL) ili Cif 400IPS 16 video i 4 audio ulaza,VGA(1280X1024) i BNC video out+spot video out Nevjerovatno jednostavna i precizna pretraga snimljenog materijala Daljinski i usb mis;SATA HDDpodrzava 4sata hdd ukupno do 8TB kapaciteta USB i LAN/DVD back up,CMS radi sa svim poznatim mobilnim uređajima, 16x alarmni ulazi i 1x alarmni izlazi,PTZ kontrola,Mnogobrojne funkcije Robusan dizajn ,mogucnost zakljucavanja poklopcaDVR-a 430 mm X 450 mm X 90 mm	40,00 €	
00061	Longse Snimač LS-CVR4216D	Tribrid HD digitalni rekorder - podrzava Analogne,CVI i IP kamere CVI: 16Chx720P / IPC: Max 4Chx1080P / Analog: 16Chx960H/4ChxD1 Snimanje: HDCVI: 720P 16x12 fps ; Analog: 960H/D1real-time; IPC:1080P/960P/720P real-time; Pregled 720P /1080P;YU jezik Multi-channel playback: 8Chx720P@15fps;Mobile client software / P2P 1xVGA,1xHDMI, PTZ, RS485 x 1, 2 x USB, 1xAudio 1 SATA Hard Disk Interface (Up to 4TB); 2xUSB (1 Rear) ; 1xRJ45; Dimensions (LxWxH): 258*232*42(mm) Weight: 2.2kg	100,00 €	
00063	Longse Snimač LS-CVR5216D	Tribrid HD digitalni rekorder - podrzava,HDCVI ,analog i IP kamere CVI: 16Chx1080P / IPC: Max 4Chx1080P Snimanje: HDCVI: 720P real-time /1080P 12fps po kanalu IPC:1080P/960P/720P real-time; Pregled 720P /1080P;YU jezik Multi-channel playback: 16Chx720P@30fps;Mobile client software / P2P 1xVGA,1xHDMI, PTZ, RS485 x 1, 2 x USB, 1xAudio 1 SATA Hard Disk Interface (Up to 4TB); 2xUSB (1 Rear) ; 1xRJ45; Dimensions (LxWxH): 258*232*42(mm) Weight: 2.2kg	110,00 €	
00229	Dahua snimač DH-XVRS116HS-12	Penta-brid video snimač sa 16 analogna kanala plus 8 dodatnih ip kanala rezolucije do 6MP. AI tehnologija. Maksimalna rezolucija snimanja 5MP. Frame rate: 5M-N (1fps-10fps); 4M-N/1080P (1fps-15fps); 1080N/720P/960H/D1/CIF (1fps-25/30fps). Kompresija snimanja: H.265+. 1x VGA, 1x HDMI. 1x audio in, 1x audio out. 1x RJ45 10M/100M/1000M mrežni interfejs. 1x USB 2.0, 1x USB 3.0. RS485 komunikacija. 1HDD maksimalnog kapaciteta 10TB po disku. Face Recognition, Perimeter Protection, SMD Plus.	203,00 €	

00161	Longse snimač XVRDA2116D	<p>Video Input Normal Mode: Analog: 16*(TVI/AHD: 5M@12fps; AHD/TVI/CVI: 4M@15fps; AHD/TVI: 3M; AHD/TVI/CVI: 1080P/720P; Analog: 960H)</p> <p>Analog+Network: 2*Analog(5MP)+14*network(MAX 8MP),4*Analog(5MP)+12*network(MAX 8MP),6*Analog(5MP)+10*network(MAX 8MP),8*Analog(5MP)+8*network(MAX 8MP),10*Analog(5MP)+6*network(MAX 8MP),12*Analog(5MP)+4*network(MAX 8MP),14*Analog(5MP)+2*network(MAX 8MP)</p> <p>Network: 16*8MP/5MP/4MP/3MP/1080P/960P/720P(Total incoming bandwidth ≤80M)</p> <p>Display VGA Resolution: 1920 × 1080P /60Hz, 1280 × 1024 /60Hz, 1280 × 720 /60Hz,1024 × 768 /60Hz HD Output Resolution: 2560x1440/30Hz, 1920 × 1080P /60Hz, 1280 × 1024 /60Hz, 1280 × 720 /60Hz,1024 × 768 /60Hz</p> <p>Recording Video Compression H.265/H.265+/H.264/H.264+ Record Rate Analog: PAL: 5MP_Lite(1296×1944 16*6fps),4MP_Lite(1280×1440 16*8fps),3MP_Lite(1024×1536 16*10fps),1080N(960x1080 16*15fps),720P(1280×720 16*15fps), 960H(960×576 16*25fps) NTSC: 5MP_Lite(1296×1944 16*6fps),4MP_Lite(1280×1440 16*8fps),3MP_Lite(1024×1536 16*10fps),1080N(960x1080 16*15fps),720P(1280×720 16*15fps), 960H(960×576 16*25fps) Pure IP(H.265): PAL: 8MP@9x25fps, 5MP@12x25fps,4MP@16x25fps, 3MP@16x25fps, 1080P@16x25fps, 960P@16x25fps, 720P@16x25fps, D1@16x25fps NTSC: 8MP@9x30fp, 5MP@12x30fps,4MP@16x30fps, 3MP@16x30fps, 1080P@16x30fps, 960P@16x30fps, 720P@16x30fps, D1@16x30fps</p>	238,00 €	
00799	Longse snimač XVRDA3116HDB	<p>Record Rate Normal Mode: Analog: PAL: 8MP_LITE(1920×2160 16*8fps), 5MP(2592×1944 16*6fps),5MP_LITE(1296×1944 16*10fps), 4MP(2560×1440 16*8fps),4MP_LITE(1280×1440 16*15fps),3MP(2048×1536 16*9fps),3MP_Lite(1024×1536 16*18fps), 1080P(1920x1080 16*15fps),720P(1280×720 16*25fps), 960H(960×576 16*25fps) NTSC: 8MP_LITE(1920×2160 16*8fps), 5MP(2592×1944 16*6fps),5MP_LITE(1296×1944 16*10fps), 4MP(2560×1440 16*8fps),4MP_LITE(1280×1440 16*15fps),3MP(2048×1536 16*9fps),3MP_Lite(1024×1536 16*18fps), 1080P(1920x1080 16*15fps),720P(1280×720 16*30fps), 960H(960×480 16*30fps)</p> <p>Lite Mode: PAL: 5MP_Lite(1296×1944 16*10fps),4MP_Lite(1280×1440 16*15fps),3MP_Lite(1024×1536 16*18fps),1080N(960x1080 16*25fps),720P(1280×720 16*25fps), 960H(960×480 4*30fps)</p> <p>Pure IP(H.265): PAL: 4k@17×25fps,5MP@26×25fps,4MP@32x25fps,3MP@32×25fps,1080P@32×25fps,960P@32×25fps,720P@32×25fps, D1@32×25fps NTSC: 4k@17×30fps,5MP@26×30fps,4MP@32×30fps,3MP@32×30fps,1080P@32×30fps, 960P@32×30fps, 720P@32×30fps, D1@32×30fps</p> <p>Input Normal Mode: Default: 16*(AHD/TVI/CVI:8M; TVI/AHD: 5M; AHD/TVI/CVI: 4M; AHD/TVI: 3M; AHD/TVI/CVI: 1080P/720P; Analog: 960H)+8*network(Max 8MP) Analog+Network: 14*Analog(8MP)+11*network(Max 8MP), 12*Analog(8MP)+13*network(Max 8MP), 10*Analog(8MP)+15*network(Max 8MP), 8*Analog(8MP)+17*network(Max 8MP), 6*Analog(8MP)+19*network(Max 8MP), 4*Analog(8MP)+21*network(Max 8MP), 2*Analog(8MP)+23*network(Max 8MP) Lite Mode: Analog: 16*(TVI/AHD: 5M@12fps; AHD/TVI/CVI: 4M@15fps; AHD/TVI: 3M; AHD/TVI/CVI: 1080P/720P; Analog: 960H)+8*network(Max 8MP) Analog+Network: 14*Analog(5MP)+11*network(Max 8MP), 12*Analog(5MP)+13*network(Max 8MP), 10*Analog(5MP)+15*network(Max 8MP), 8*Analog(5MP)+17*network(Max 8MP), 6*Analog(5MP)+19*network(Max 8MP), 4*Analog(5MP)+21*network(Max 8MP), 2*Analog(5MP)+23*network(Max 8MP) Network: 32*network(Max 8MP)(Total incoming bandwidth ≤160M)</p>	295,00 €	 
00062	Longse Snimač XVRDA3116DB	<p>Sesnaestokanalni petobridni XVK snimač 1080P-4M-5M DIY Video Input: 16CH/HD, 16CH/HD+IPC, 32CH/IPC H265 kompresija HD: Max 16CH-15fps / IPC: Max 32CH-30fps / Analog: Max 16CH-30fps Snimanje Analog HD : 8MP(3840×2160 16*8fps), 5MP(2592×1944 16*12fps), 4MP(2560×1440 16*15fps) 3MP(2048×1536 16*18fps),1080P(1920x1080 16*25fps) 720P(1280×720 16*25fps), 960H(960×576 16*25fps) IPC: 8MP/6MP/5MP/4MP/3MP/2MP/1MP; 8MP@17×25fps ,5MP@26×25fps,4MP@32x25fps,3MP@32×25fps,1080P@32×25fps Preview resolution: 5M/4M/3M/1080P/720; 1-16 channels mode. 1 SATA Hard Disk Interface (2.5"/3.5" SATA, Up to 16TB) Video Output: 1xHDMI/1xVGA /1xCVBS;Audio: RCA 4CH In/ 1CH Out Dimensions (L x W x H): 260x215x43(mm) Weight: 2kg</p>	320,00 €	
00280	Longse snimač XVRDA3116HD	<p>Video Input Normal Mode: Default: 16*(AHD/TVI/CVI:8M; TVI/AHD: 5M; AHD/TVI/CVI: 4M; AHD/TVI: 3M; AHD/TVI/CVI: 1080P/720P; Analog: 960H)+8*network(Max 8MP) Analog+Network: 14*Analog(8MP)+11*network(Max 8MP), 12*Analog(8MP)+13*network(Max 8MP), 10*Analog(8MP)+15*network(Max 8MP), 8*Analog(8MP)+17*network(Max 8MP), 6*Analog(8MP)+19*network(Max 8MP), 4*Analog(8MP)+21*network(Max 8MP), 2*Analog(8MP)+23*network(Max 8MP) Lite Mode: Analog: 16*(TVI/AHD: 5M@12fps; AHD/TVI/CVI: 4M@15fps; AHD/TVI: 3M; AHD/TVI/CVI: 1080P/720P; Analog: 960H)+8*network(Max 8MP) Analog+Network: 14*Analog(5MP)+11*network(Max 8MP), 12*Analog(5MP)+13*network(Max 8MP), 10*Analog(5MP)+15*network(Max 8MP), 8*Analog(5MP)+17*network(Max 8MP), 6*Analog(5MP)+19*network(Max 8MP), 4*Analog(5MP)+21*network(Max 8MP), 2*Analog(5MP)+23*network(Max 8MP) Network: 32*network(Max 8MP)(Total incoming bandwidth ≤160M)</p> <p>Display VGA Resolution: 1920 × 1080P/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz,1024 × 768 /60Hz HD Output Resolution: 3840×2160/30Hz, 2560x1440/30Hz, 1920 × 1080P/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz,1024 × 768/60Hz</p> <p>Recording Video Compression H.265/H.265+/H.264/H.264+ Record Rate Normal Mode: Analog: PAL: 8MP_LITE(1920×2160 16*8fps), 5MP(2592×1944 16*6fps),5MP_LITE(1296×1944 16*10fps), 4MP(2560×1440 16*8fps),4MP_LITE(1280×1440 16*15fps),3MP(2048×1536 16*9fps),3MP_Lite(1024×1536 16*18fps), 1080P(1920x1080 16*15fps),720P(1280×720 16*25fps), 960H(960×576 16*25fps) NTSC: 8MP_LITE(1920×2160 16*8fps), 5MP(2592×1944 16*6fps),5MP_LITE(1296×1944 16*10fps), 4MP(2560×1440 16*8fps),4MP_LITE(1280×1440 16*15fps),3MP(2048×1536 16*9fps),3MP_Lite(1024×1536 16*18fps), 1080P(1920x1080 16*15fps),720P(1280×720 16*30fps), 960H(960×480 16*30fps) Lite Mode: PAL: 5MP_Lite(1296×1944 16*10fps),4MP_Lite(1280×1440 16*15fps),3MP_Lite(1024×1536 16*18fps),1080N(960x1080 16*25fps),720P(1280×720 16*25fps), 960H(960×480 16*25fps) NTSC: 5MP_Lite(1296×1944 16*10fps),4MP_Lite(1280×1440 16*15fps),3MP_Lite(1024×1536 16*18fps),1080N(960x1080 16*25fps),720P(1280×720 16*25fps), 960H(960×480 4*30fps) Pure IP(H.265): PAL: 4k@17×25fps,5MP@26×25fps,4MP@32x25fps,3MP@32×25fps,1080P@32×25fps,960P@32×25fps,720P@32×25fps, D1@32×25fps NTSC: 4k@17×30fps,5MP@26×30fps,4MP@32×30fps,3MP@32×30fps,1080P@32×30fps, 960P@32×30fps, 720P@32×30fps, D1@32×30fps</p>	369,00 €	

00230	Dahua snimač DH-XVRS116H-4KL-X	Pentabrid 4K digitalni video snimač, podržava 16 HDCVI / TVI / AHD / analognih kamera i osam dodatnih IP kamere do 8MP, audio preko koaksijalnog kabla Snimanje HDCVI kamera rezolucije do 4K rezolucije, snimanje AHD kamera do rezolucije 5MP, snimanje TVI kamera do rezolucije 5MP, 1 audio ulaz, 1 audio izlaz, dvosmerna audio komunikacija, brzina snimanja 7fps u 4K rezoluciji, 10fps u rezoluciji 6MP, 12fps u rezoluciji 5MP, 15fps u rezolucijama 4MP/3MP, 25fps u rezoluciji 1080p i nižim, 1 HDMI izlaz, 1 VGA izlaz, prostor za jedan hard disk maksimalnog kapaciteta do 10TB, napajanje 12VDC	320,00 €	
XVR Snimači 32 kanala				
00064	Longse Snimač XVRDA3132HL	Tridesetdvokanalni petobridni XVR snimač 1080N/720P DIY Video Input: HD includes AHD, HD-CVI, HD-TVI HD: Max 32CH-15fps / IPC: Max 32CH-30fps / Analog: Max 32CH-30fps HDMI Output:4K(3840 × 2160)/1920×1080/1280×1024/1280×720/1024×768 VGA Output: 1920×1080/1280×1024/1280×720/1024x768 CVBS Output: 720x560 Snimanje:HD 5M@6fps; 4M@8fps; 3M@9fps; 1080P@15fps;720P@25fps; Analog 960H(960×576 32*22fps) IPC: 8MP/6MP/5MP/4MP/3MP/2MP/1MP,PAL every channel 1fps-25fps Preview resolution:1080P/720P;Playback 1 or 4 channels mode 8 SATA HDD Interface(3.5" SATA,Up to 64TB) 1E-SATA Interface(Up to 8TB) 1xRS485, 2 × USB, 1 × IR Controller, 1xRJ45(10M/100M/1000M) Dimensions (L xWxH): 440*450*95(mm). Weight: 9.8kg	465,00 €	
KIT Kompleti				
00496	Longse KIT KT-XVRT3004D + 4x LBM24HTC200	4CH 2MP AHD XVR Kit <ul style="list-style-type: none"> • 1x 4CH AHD XVR Metal Case 5M-N • 4x 1080P Outdoor Bullet AHD IR 25m LBM24HTC200 • 4x 18M Coaxial Cable • 1x 5CH Power Splitter Cable • 1x DC12V/5A Power Adapter • 1x USB Mouse LBM24HTC200 2MP 4IN1 HD Bullet IR 20m <ul style="list-style-type: none"> • 1/2.9"CMOS Sensor • AHD/CVI/TVI/CVBS 4 IN 1 • 3.6mm Fixed Lens • IR Distance max 20m • IP66 outdoor, OSD&UTC support 	215,00 €	 NOVO
00786	Longse KIT XVRT3004D4MB500LWA Full color 5Mpix komplet	<ul style="list-style-type: none"> • 1x XVRT3004D : • 4 x BMSDTV1500FPEW Full Color • 4x 18m BNC+DC Cable, 1x (1 to 4CH power cable splitter) ; • 1xUSB 2.0 Mouse ; • Adaptor: 2xDC12V/2A 	285,00 €	 FULL COLOR 2MP/AHD IP Camera Series 4000K NOVO
00800	Longse KIT XVRT3004D4MD500LWA 5Mpix Full color komplet	<ul style="list-style-type: none"> • 1x XVRT3004D : • 4 x CMSDTV1500FPEW; • 4x 18m BNC+DC Cable, 1x (1 to 4CH power cable splitter) ; • 1xUSB 2.0 Mouse ; • Adaptor: 2xDC12V/2A 	285,00 €	 FULL COLOR 2MP/AHD IP Camera Series 4000K NOVO
00497	Longse KIT KT-XVRT3008D + 8x LBM24HTC200	8CH 5MP Lite AHD XVR Kit <ul style="list-style-type: none"> • 1x 8CH AHD XVR Metal Case 5M-N • 8x 1080P Outdoor Bullet AHD IR 20m • 8x 18M Coaxial Cable • 1x 8CH Power Splitter Cable • 1 x DC12V/2A Power Adapter • 1x DC12V/5A Power Adapter • 1x USB Mouse LBM24HTC200 2MP 4IN1 HD Bullet IR 20m <ul style="list-style-type: none"> • 1/2.9"CMOS Sensor • AHD/CVI/TVI/CVBS 4 IN 1 • 3.6mm Fixed Lens • IR Distance max 20m • IP66 outdoor, OSD&UTC support 	329,00 €	
00802	Longse KIT WIFI2108DE4FE200	<ul style="list-style-type: none"> • 1x KT-NVR2108DE4W : • 4 x LBH30FE200W FULL COLOR • WIFI Range: No Obstacles 300m Max ; • 1 x 1m Net Cable, 1xUSB 2.0 Mouse; • 1xDC 12V 2A for WIFI NVR, 4xDC 12V 0.5A for WIFI IP Camera 	395,00 €	 FULL COLOR 2MP/AHD IP Camera Series 4000K NOVO

00517	Longse KIT KT-NVR3608DE4W	<p>NVRKIT NVR3608DE4W Camera4 x LBH30FE200W WIFI RangeNo Obstacles 350m Max Cable1 x 1m Net Cable Mouse1xUSB 2.0 Mouse Adaptor1xDC 12V 2A for WIFI NVR, 4xDC 12V 0.5A for WIFI IP Camera Weight5.3kg/SET Senzor1/2.9" Full HD CMOS Sensor Rezolucija2MP 1080P Kompresija H.264/H.264+/H.265/H.265+ Fokusna dužina3.6mm Infrared LED14μ x 12PCS Infrared Distance20M Metalno kućište, IP67 Operation Temperature-10°C ~ +50°C RH95% Max Dimenzije157(W) x 70(H) x 66(D)mm Težinakamera650g</p>	380,00 €	
NVR Snimači				
00493	Longse snimač NVR3609D	<p>9CH H.265 NVR 1080P</p> <ul style="list-style-type: none"> • Third-party Network Cameras Supported • Up to 5MP Resolution Recording and Playback • HD and VGA Output,HD Port up to 1920x1080 • Support H.265+/H.265/H.264+/H.264 Video Format • Support 1 SATA up to 8TB Capacity <p>Input9CH (2592x1944, 2048x1536, 1920x1080, 1280x960, 1280x720, etc)</p> <p>Video CompressionH265/H264/H265+/H264+</p>	71,50 €	
00494	Longse snimač NVR3016D	<p>16CH H.265+ NVR 2160P</p> <ul style="list-style-type: none"> • Third-party Network Cameras Supported • Up to 8MP Resolution Recording and Playback • HD and VGA Output,HD Port up to 4K (3840x2160) • Support H.265+/H.265/H.264+/H.264 Video Format • Support 1 SATA up to 8TB Capacity <p>Main Processor ARM Cortex A7 Processor Video Compression H265/H264/H265+/H264+ Resolution 4K(3840x2160),5MP(2592x1944),4MP(2688x1520/2560x1440),3MP(2048x1536),1080P(1920x1080),960P(1280x960),720P(1280x720),D1 (720x576/720x480) Record Rate PAL :4K@10x25fps,5MP@16x25fp,4MP@16x25fp,1080P@16x25fp,960P@16x25fp,720P@16x25fp, D1@16x25fp NTSC: 4K@10x30fps,5MP@16x30fp,4MP@16x30fp,3MP@16x30fp,1080P@16x30fp, 960P@16x30fp, 720P@16x30fp, D1@16x30fp</p>	103,00 €	
00043	Longse Snimač NVR3604DP	<p>5Mpix 4CH PoE NVR IP Camera Input: 9CH (5MP/4MP/3MP/2MP/1MP, etc) "4 x Independent 100Mbps PoE Network Interfaces (Total Power Output≥50W); Incoming Bandwidth: 60Mb Compression Method: H.265/H.265+, H.264/H.264+ Recording Resolution: 5M/4M/3M/1080P/960P/720P, etc (All Real Time) Playback Resolution: 1CH@5M/4CH@1080P Network Interface: 5xRJ-45 10/100Mbps Self-adaptive Ethernet Interfaces 1 SATA Hard Disk Interface (2.5"/3.5" SATA, Up to 8TB) Power Input: DC52V/1250mA Dimensions (L x W x H): 260*215*43(mm) .Weight: 2kg</p>	115,00 €	
00491	Longse NVR2104DP	<p>4CH H.265 POE NVR</p> <ul style="list-style-type: none"> • Third-party Network Cameras Supported • Up to 4K Resolution Recording and Playback • HD and VGA Output,HD Port up to 4K (3840*2160) • H.265+/H.265/H.264+/H.264 Video Format • Support 1 SATA up to 8TB Capacity • Support 4 Independent PoE Network Interface <p>Input9CH(3840*2160,2592x1944, 2048x1536, 1920x1080, 1280x960, 1280x720, etc) Resolution 4K(3840x2160),5MP(2592x1944),4MP(2688x1520/2560x1440),3MP(2048x1536),1080P(1920x1080),960P(1280x960),720P(1280x720),D1 (720x576/720x480) Record Rate PAL :4K@8x25fps,5MP@9x25fp,4MP@9x25fp,3MP@9x25fp,1080P@9x25fp, 960P@9x25fp,720P@9x25fp, D1@9x25fp NTSC: 4K@8x30fps,5MP@9x30fp,4MP@9x30fp,3MP@9x30fp,1080P@9x30fp, 960P@9x30fp, 720P@9x30fp, D1@9x30fp</p>	137,00 €	
00044	Longse Snimač NVR3608DP	<p>5Mpix 8ch PoE NVR IP Camera Input: 9CH (5MP/4MP/3MP/2MP/1MP, etc) "POE: 8 x Independent 100Mbps PoE Network Interfaces (Total Power Output≥100W); Compression Method: H.265/H.265+, H.264/H.264+ Recording Resolution: 5M/4M/3M/1080P/960P/720p, etc (All Real Time) Playback Resolution: 1CH@5M/4CH@1080P Network Interface: 9xRJ-45 10/100Mbps Self-adaptive Ethernet Interfaces 1 SATA Hard Disk Interface (2.5"/3.5" SATA, Up to 8TB) Power Input: DC52V/1250mA Dimensions (L x W x H): 260*215*43(mm) .Weight: 2kg</p>	150,00 €	
00492	Longse NVR2108DP	<p>8CH H.265 POE NVR</p> <ul style="list-style-type: none"> • Third-party Network Cameras Supported • Up to 4K Resolution Recording and Playback • HD and VGA Output,HD Port up to 4K (3840*2160) • H.265+/H.265/H.264+/H.264 Video Format • Support 1 SATA up to 8TB Capacity • Support 8 Independent PoE Network Interfaces <p>Input16CH(3840*2160,2592x1944, 2048x1536, 1920x1080, 1280x960, 1280x720, etc) Video Compression H265/H264/H265+/H264+ Resolution 4K(3840x2160),5MP(2592x1944),4MP(2688x1520/2560x1440),3MP(2048x1536),1080P(1920x1080),960P(1280x960),720P(1280x720),D1 (720x576/720x480) Record Rate PAL :4K@10x25fps,5MP@16x25fp,4MP@16x25fp,3MP@16x25fp,1080P@16x25fp,960P@16x25fp,720P@16x25fp, D1@16x25fp NTSC: 4K@10x30fps,5MP@16x30fp,4MP@16x30fp,3MP@16x30fp,1080P@16x30fp, 960P@16x30fp, 720P@16x30fp, D1@16x30fp</p>	173,00 €	

00495	Longse snimač NVR3025DB	<p>25CH H.265+ NVR 2160P</p> <ul style="list-style-type: none"> • Third-party Network Cameras Supported • Up to 8MP Resolution Recording and Playback • HD and VGA Output,HD Port up to 4K (3840×2160) • Support H.265+/H.265/H.264+/H.264 Video Format • Support 2 SATA up to 16TB Capacity <p>Input:25CH(3840*2160,2592x1944, 2048x1536, 1920×1080, 1280×960, 1280×720, etc) Video Compression H265/H264/H265+/H264+ Resolution 4K(3840×2160),5MP(2592×1944),4MP(2688×1520/2560×1440),3MP(2048×1536),1080P(1920×1080),960P(1280×960),720P(1280×720),D1 (720×576/720×480) Record Rate PAL :4k@12×25fp,5MP@20×25fp,4MP@25×25fp,3MP@25×25fp,1080P@25×25fp,960P@25×25fp,720P@25×25fp, D1@25×25fp NTSC: 4k@12×30fp,5MP@20×30fp,4MP@25×30fp,3MP@25×30fp,1080P@25×30fp, 960P@25×30fp, 720P@25×30fp, D1@25×30fp</p>	173,00 €	
00045	Longse Snimač NVR3616CDBP	<p>4K 16ch PoE NVR IP Camera Input: 25CH (8MP/6MP/5MP/4MP/3MP/2MP/1MP, etc) *POE: 16x Independent 100Mbps PoE Network Interfaces (Total Power Output≥200W);Total Income Bandwidth: 120Mb Compression Method: H.265/H.265+, H.264/H.264+ Recording Resolution: 4K/5M/4M/3M/1080P/960P/720P, etc (All Real Time) Playback Resolution: 1CH@4K/4CH@1080P HD Output/VGA Output: 4K (3840×2160)/ 1920×1080/1280×1024/1280×720 Network Interface: 16xRJ-45 10/100Mbps + 1xRJ-45 10/100/1000Mbps Support network cable extended mode Max. 250M 1 SATA Hard Disk Interface (3.5" SATA, Up to 6TB); Backup: 2xUSB2.0 Power Input: AC 100~240V Dimensions (L x W x H): 310*295*46(mm) Weight: 4kg Osnovne karakteristike Tip: Switch Vrsta: Unmanaged</p>	297,00 €	
00738	Dahua PFS3008-8ET 8 port Fast Ethernet switch	<p>Mreža Standardi: IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x Protok: 8x10/100Mbps Switching: 1.6Gbps Forwarding: 1.19Mpps MAC adrese Tabela: 1k Memorija Bafer: 448Kb Dodatne funkcije Ostalo: 448Kb packet buffer, Plug & Play Priključci pozadi RJ-45: 8 (10/100Mbps) Fizičke karakteristike Dimenzije: 125mm x 65mm x 22mm Masa: 90g Boja: Bijela</p>	14,50 €	
00739	Dahua PFS3005-5ET 5 port Fast Ethernet switch	<p>Osnovne karakteristike Tip: Switch Vrsta: Unmanaged Mreža Standardi: IEEE 802.3, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x Protok: 5 x 10/100 Mbps Switching: 1Gbps Forwarding: 0.744 Mpps MAC adrese Tabela: 1k Dodatne funkcije Ostalo: 448Kb packet buffer, Plug & Play Priključci pozadi RJ-45: 5x 10/100Mbps Fizičke karakteristike Dimenzije: 77mm x 46mm x 21mm Masa: 0.04kg Boja: Bijela</p>	11,00 €	
00049	Longse POE Switch HT412	<p>6-PORT 10/100M SWITCH WITH 4-PORT PoE IEEE 802.3af, IEEE 802.3at PoE Power Output: Total 60Watts Support EXTEND Mode *Surge Protection: Common-mode Voltage 4KV, Differential-mode Voltage 2KV Power Input: AC100V~240V</p>	60,00 €	
00050	Longse POE Switch HT811	<p>9-PORT 10/100M SWITCH WITH 8-PORT PoE IEEE 802.3af, IEEE 802.3at PoE Power Output: Total 60Watts Support EXTEND Mode *Surge Protection: Common-mode Voltage 4KV, Differential-mode Voltage 2KV Power Input: AC100V~240V</p>	93,00 €	
00051	Longse POE Switch RT2418	<p>24-PORT 10/100M + 4-PORT 10/100/1000M WAN + 4-PORT SFP; SWITCH WITH 24-PORT PoE Web Managed POE; Switch With 3 x Fan IEEE802.3af, IEEE802.3at Power Adaptor: AC100V~240V 50/60Hz PoE Budget: 370Watts</p>	432,50 €	
00052	Longse POE Splitter LS-PD301	<p>PoE splitter PoE Splitter PD IEEE802.3af 12V 15.4W Support 10/100/1000M</p>	15,00 €	
00434	Longse tester LS-X7ADH	<ul style="list-style-type: none"> • 7 inch retina touch screen, 1920*1200 resolution • H.265/H.264, 4K video display via mainstream • Support IP/AHD/CVI/TVI/CVBS camera test • Support 8MP TVI CVI AHD camera test • HDMI input & output, 1080P • ONVIF camera test, support 2592*1520 • PoE voltage test/DC48V power output • Auto scan IP camera address • RJ45 TDR cable test/Testerplay (screen projection) • Video level meter and cable tracer • H.264, MPEG4, MJPEG, MJPG IP camera image test • Built-in WIFI/ONVIF, PTZ and RS485 control • Ping test, UTP cable test, 1080P camera test • Compatible with over 80 brands of cameras • 4X zoom image snapshot, video record and playback • 7.4V lithium polymer battery, 5000mAh, working time lasts 10 hours • DC12V 2A power output/DC5V 2A power output • Weight: 2.8kg 	690,00 €	 
Diskovi, fleške i kartice				
00070	Seagate HDD Baracuda 1TB	<p>Seagate hard disk 3,5" -SATA za DVR rekordere Ovi hard diskovi su preporuka proizvođača DVR rekordera</p>	59,00 €	

00071	Seagate HDD Baracuda 2TB	Seagate hard disk 3,5" -SATA za DVR rekordere Ovi hard diskovi su preporuka proizvođača DVR rekordera	75,00 €	
00072	Seagate HDD Baracuda 3TB	Seagate hard disk 3,5" -SATA za DVR rekordere Ovi hard diskovi su preporuka proizvođača DVR rekordera	129,00 €	
00065	Seagate HDD Skyhawk 1TB	Seagate hard disk 3,5" -SATA za DVR rekordere. Ovi hard diskovi su preporuka proizvođača DVR rekordera	65,00 €	
00066	Seagate HDD Skyhawk 2TB	Seagate hard disk 3,5" -SATA za DVR rekordere Ovi hard diskovi su preporuka proizvođača DVR rekordera	95,00 €	
00067	Seagate HDD Skyhawk 3TB	Seagate hard disk 3,5" -SATA za DVR rekordere Ovi hard diskovi su preporuka proizvođača DVR rekordera	137,00 €	
00068	Seagate HDD Skyhawk 4TB	Seagate hard disk 3,5" -SATA za DVR rekordere Ovi hard diskovi su preporuka proizvođača DVR rekordera	179,00 €	
00344	Toshiba HDD PCP300 - 3TB	3.5" SATA Hard Drive 7200 rpm /5400 rpm 64/128 MB buffer Advanced Format	109,00 €	
00042	Kingston MicroSD kartica 64GB Class 10 up to 170MB/s	Brzina pisanja: 90 MB/s Brzina čitanja: 170 MB/s Format: exFAT Class 10, UHS-I, U3, V30 Operativna temperatura: -25°C - 85°C	15,99 €	
00645	Kingston MicroSD kartica 128GB Class 10 Canvas up to 100MB/s		22,80 €	
00556	Kingston USB Flash Drive 64GB		10,00 €	
Nosači/Dozne				
00803	Longse nosač B116	<ul style="list-style-type: none"> Bijela boja Dimenzije: 116(W) x 116(D) x 49.4(H)mm Material: Plastic Podržava modele kamera: LBH30, LBF30, LBV30, LBM24, BMSA BMLA, CMSA, LBP60, LBP90, LIZM60, LIZM90, LBW30, LBW60, LBW90, LBB60, LBB90, LBE60, LBE90, LBF60, LBF90 	8,00 €	 NOVO

00026	Longse nosač B200	Duboki nosač za varifokal dome kamere Za modele LIRDV,LIRDQ,LIG40,LIG60 sa prostorom za smjstanje kablova; Tezina : 161g Material: Metal" Dimenzije : D=93mm E=42.5mm	10,00 €	
00027	Longse nosač B220A	Duboki nosač za LIRD kamere sa prostorom za smjstanje kablova Za modele LIRDN,LIRDL Tezina : 161g Material: Metal" Dimenzije : D=93mm E=42.5mm	11,50 €	
00028	Longse nosač B310	Duboki nosač za montažu kamere sa smjstanjem kablova Za modele LBQ,LBN,LBH Tezina:450 ; Materijal : Metal Dimenzije: φ101x52(H)mm	19,00 €	
00029	Longse nosač B320	Duboki nosač za montažu kamere sa smjstanjem kablova Za modele LIG,LIZM,LBQ,LIN,LIRDV Tezina:450 ; Materijal : Metal Dimenzije: φ138x54(H)mm	20,00 €	
00204	Vook nosač B227	nosač za dome kamere veliki Aluminijski nosač za nazidnu montažu dome kamera Bez boja armirano jako kućište	10,00 €	
00205	Longse nosač B173-01	B173-01 Zidni nosač za montažu kamere sa smjstanjem kablova "Za modele kamera : LIRDN, LIRDG, LIRDB, LIRDBA, LIRD, LDHC20, LMD, LMDH Tezina:700g ; Materijal : Metal Dimenzije: 173(W) x 111(D) x 114(H)mm	17,00 €	
00241	Vook nosač B225	Nosač za dome kamere mali Plastični nosač za nazidnu montazu malih dome kamera	7,00 €	
00032	Longse LED reflektor LED180	LED reflektor; 8 SMD LED dioda Domet 80 metara, ugao 60 stepeni Dimenzije 150x120x88;860g 12VDC 1500mA	60,00 €	
00322	VR160 IR reflektor		32,00 €	
Napajanja				
00300	Vook VSPS1204 - napajanje 12V400mah		5,00 €	
00511	Longse napajanje PS-EU12V1000MA		7,00 €	

00075	Longse napajanje LSP-EU12V2000MA	Napajanje za kamere 230V/12V/2A Input Voltage: AC 110~240V ; EU standard Output Voltage: DC 12V; Output Current: 2000mA Size: 90 x 48 x 30mm Weight: 200g	10,00 €	
00076	Longse napajanje PS-EU12V3000MA	Napajanje za kamere 230V/12V/3A Input Voltage: AC 110~240V ; EU standard Output Voltage: DC 12V; Output Current: 3000mA Size: 125 x 48 x 32mm Weight: 400g	13,00 €	
00077	Longse napajanje PS-EU12V4000MA	Napajanje za kamere 230V/12V/4A Input Voltage: AC 110~240V ; EU standard Output Voltage: DC 12V; Output Current: 4000mA Size: 125 x 48 x 32mm Weight: 400g	16,00 €	
00299	MIVA Ispravljač Switch 12V 4000mA		13,00 €	
00078	Longse napajanje PS-EU12V5000MA	Napajanje za kamere 230V/12V/5A Input Voltage: AC 110~240V ; EU standard Output Voltage: DC 12V; Output Current: 5000mA Size: 125 x 48 x 32mm Weight: 400g	18,50 €	
00805	Longse napajanje u ormariću LS-MPS12V4A prikj. za 4 kamere	* Ormaric napajanje za 4 kamere 12V/4A * Nezavisna klemna za svaki kanal, * LED dioda za svaki kanal * Džemper za isključenje pojedinih kanala, * Osigurač na svakom kanalu * ON/OF prekidač na 220, * Signalna lampica na vratima ormara	32,00 €	 NOVO
00081	Longse napajanje u ormariću LS-MPS12V5A	Ormaric napajanje za 5 kamera 12V/5A Nezavisna klemna za svaki kanal, led dioda za svaki kanal Džemper za isključenje pojedinih kanala, osigurač na svakom kanalu ON/OF prekidač na 220, signalna lampica na vratima ormara L160*W160*H50	33,00 €	
00082	Longse napajanje u ormariću LS-MPS12V10A	Ormaric napajanje za 9 kamera 12V/10A Nezavisna klemna za svaki kanal, led dioda za svaki kanal Džemper za isključenje pojedinih kanala, osigurač na svakom kanalu ON/OF prekidač na 220, signalna lampica na vratima ormara 200x320x55	54,50 €	
00083	Longse napajanje u ormariću LS-MPS12V12A	Ormaric napajanje za 18 kamera 12V/12A Nezavisna klemna za svaki kanal, led dioda za svaki kanal Džemper za isključenje pojedinih kanala, osigurač na svakom kanalu ON/OF prekidač na 220, signalna lampica na vratima ormara 310x205x50	68,50 €	
00806	Longse napajanje u orma	* Ormaric napajanje za 18 kamera 12V/15A * Nezavisna klemna za svaki kanal, * LED dioda za svaki kanal * Džemper za isključenje pojedinih kanala, * Osigurač na svakom kanalu * ON/OF prekidač na 220, * Signalna lampica na vratima ormara	71,50 €	 NOVO
00242	Longse modul napajanja LS-EPS12V5A	<ul style="list-style-type: none"> Zatvoreno napajanje 12V i 5A Dužina 158mm, širina 98mm, visina 42mm 	15,50 €	












00584	SCHELLENBERG LED napajanje 150W 12V-12,5A		18,50 €	
00336	Vook ELPS12V200F	Napajanje 12V/20A	20,00 €	
00243	Longse modul napajanja LS-EPS12V10A	<ul style="list-style-type: none"> • Zatvoreno napajanje 12V i 10A • Dužina 158mm, širina 98mm, visina 42mm 	22,50 €	
00298	Kabal mrežni za kasetofon 220V - 1,5m		1,45 €	
00554	Napojni kabal šuko/trožilni 1,8m		1,80 €	
00390	Switch napajanje CS0510 5V1A	Napajanje od 5V/1A	11,00 €	
00314	Switch napajanje CS0520 5V2A	Napajanje od 5V/2A	12,00 €	
Konektori				
00091	Longse LS-CON22 BNC na šaraf	BNC konektor na lemljenje i sarafljenje	0,60 €	
00092	Longse LS-CON20 RG59 BNC krimpovanje	BNC konektor za krimpovanje RG59 Ekonomik konektor	0,60 €	
00093	Konektor krimpovanje BNC-K RG59	BNC konektor za krimpovanje RG59	0,80 €	
00097	Longse DC muški LS-CON18A	DC konektor Muski za napajanje kamera	0,50 €	

00098	Longse DC ženski LS-CON18B	DC konektor ženski za napajanje kamera	0,50 €	
00099	Longse LS-CON3 BNC spojnica	BNC spojnica	0,50 €	
00100	Longse LS-CON2 - BNC na činič	Bnc ženski na Cinc muski	0,50 €	
00105	Konektor FF spojka žensko-ženski	F nastavak žensko ženski	0,25 €	
00293	Longse LS-HCON34 - RJ45		0,15 €	
00308	RJ11 telefonski konektor		0,06 €	
00309	RF-Z - plastični		0,20 €	
00310	ČINIČ konektor ženski zlatni		0,50 €	
00311	RF ženski na F konektor		0,35 €	
00312	RF muški na F konektor		0,35 €	
00318	F KONEKTOR ZA RG6		0,20 €	

00319	F KONEKTOR ZA RG59		0,10 €	
00425	RF-M - plastični		0,20 €	
00512	Longse LS-CON20 RG59 BNC krimpovanje (N)	BNC konektor za krimpovanje RG59 Ekonomik konektor	0,50 €	
00555	Konektor krimpovanje BNC-K RG6		0,80 €	
Kablovi				
00079	Longse napojna račva LS-4H	1 to 4CH racva napojni kabal dijeli napajanje na 4 razlicita izvora(kamere)	2,00 €	
00080	Longse napojna račva LS-8H	1 to 8CH racva napojni kabal dijeli napajanje na 4 razlicita izvora(kamere)	4,00 €	
00516	Longse kabal sa konektorima L10DB44 - 10M	Video Power: 26 AWG Insulation: 1.3mm Colourless PE Shield: AL+B32/0.12 Power Conductor: 21 AWG x 2C Red/Black ID: 1.35mmPVC Outer Jacket: 4.4mm PVC Black Connector: BNC Male+DC Female to BNC Male+DC Male Applications: AHD/CVI/TVI/CVBS System	7,00 €	
00121	Longse kabal sa konektorima L20DB44 - 20m	Kabal sa konektorima duzine 20 metara DC+BNC for AHD/CVI/TVI/CVBS Camera (CRNI)	12,00 €	
00122	Longse kabal sa konektorima L30DB44 - 30m	Kabal sa konektorima duzine 30 metara DC+BNC for AHD/CVI/TVI/CVBS Camera (CRNI)	15,00 €	
00123	Longse kabal sa konektorima L40DB44 - 40m	Kabal sa konektorima duzine 40 metara DC+BNC for AHD/CVI/TVI/CVBS Camera (CRNI)	21,50 €	
00807	Longse HDMI kabal LHD	<ul style="list-style-type: none"> • HD Cable 1.4V • Čelik presvučen bakrom • Najlonska obloga • Bandwidth 10.2Gbps • Rezolucija 1080P • Broj zvučnik kanala: 8 • Sampling frequency:756KHz 	3,00 €	

00234	Longse HDMI kabal LHD-14A-2M	<ul style="list-style-type: none"> • HD Cable 1.4V • Čelik presvučen bakrom • Najjonska obloga • Bandwidth 10.2Gbps • Rezolucija 1080P • Broj zvučnik kanala: 8 • Sampling frequency:756KHz 	4,00 €	
00109	Longse HDMI kabal LHD-14A-3M	<p>HDMI kabal duzine 3 metra. Kvalitetan kabal sa pozlacenim kontaktima</p> <ul style="list-style-type: none"> • Čelik presvučen bakrom • Najjonska obloga • Bandwidth 10.2Gbps • Rezolucija 1080P • Broj zvučnik kanala: 8 • Sampling frequency:756KHz 	4,50 €	
00110	Longse HDMI kabal LHD-14A-5M	<p>HDMI kabal duzine 5 metara. Kvalitetan kabal sa pozlacenim kontaktima</p> <ul style="list-style-type: none"> • Čelik presvučen bakrom • Najjonska obloga • Bandwidth 10.2Gbps • Rezolucija 1080P • Broj zvučnik kanala: 8 • Sampling frequency:756KHz 	7,00 €	
00111	Longse HDMI kabal LHD-14A-10M	<p>HDMI kabal duzine 10 metara. Kvalitetan kabal sa pozlacenim kontaktima</p> <ul style="list-style-type: none"> • Čelik presvučen bakrom • Najjonska obloga • Bandwidth 10.2Gbps • Rezolucija 1080P • Broj zvučnik kanala: 8 • Sampling frequency:756KHz 	14,50 €	
00112	Longse HDMI kabal LHD-14A-15M	<p>HDMI kabal duzine 15 metara. Kvalitetan kabal sa pozlacenim kontaktima</p> <ul style="list-style-type: none"> • Čelik presvučen bakrom • Najjonska obloga • Bandwidth 10.2Gbps • Rezolucija 1080P • Broj zvučnik kanala: 8 • Sampling frequency:756KHz 	20,00 €	
00113	Longse HDMI kabal LHD-14A-20M	<p>HDMI kabal duzine 20 metara. Kvalitetan kabal sa pozlacenim kontaktima</p> <ul style="list-style-type: none"> • Čelik presvučen bakrom • Najjonska obloga • Bandwidth 10.2Gbps • Rezolucija 1080P • Broj zvučnik kanala: 8 • Sampling frequency:756KHz 	30,00 €	
00245	RAI-M HDMI kabal 3m	Rai-M HDMI kabal od 3m. Verzija 2.0	4,50 €	
00246	RAI-M HDMI kabal 5m	Rai-M HDMI kabal od 5m. Verzija 2.0	7,00 €	
00248	RAI-M HDMI kabal 10m	Rai-M HDMI kabal od 10m. Verzija 2.0	14,50 €	
00247	RAI-M HDMI kabal 20m	Rai-M HDMI kabal od 20m. Verzija 2.0	40,00 €	
00249	Alien HDMI kabal 5m	HDMI kabal dužine 5m	7,00 €	








00815	Ansec UTP CAT5E 0,5m patch kabal	UTP Kabal dužine 0,5m	0,85 €	
00816	Ansec UTP CAT6E 1m patch kabal	UTP Kabal dužine 1,0m	1,30 €	
00817	Ansec UTP CAT6E 2m patch kabal	UTP Kabal dužine 2m	1,70 €	
00115	Longse UTP CAT6 L005NET - 0,5m	UTP CAT6 patch kabal 0,5m	1,10 €	
00116	Longse UTP CAT6 L01NET - 1m	UTP CAT6 patch kabal 1m	1,35 €	
00117	Longse UTP CAT6 L02NET - 2m	UTP CAT6 patch kabal 2m	2,00 €	
00118	Longse UTP CAT6 L03NET - 3m	UTP CAT6 patch kabal 3m	3,00 €	
00119	Longse UTP CAT6 L05NET - 5m	UTP CAT6 patch kabal 5m	3,50 €	
00126	Koaksijalni kabal Cu RG6 TRISHIELD	Koaks. kabl, RG-6, 1.2 Cu, TRI-SHIELD, bijeli, na metalici pakovanje 305m.	0,25 €	
00127	Koaksijalni kabal crni RG58	Koaksijalni kabal RG58 CRNI 100m rolna	0,39 €	
00128	Koaksijalni kabal RG59	Koaksijalni kabl RG-59 Cu SQ Bakar bakar,plasticna izol.	0,30 €	

00129	Siamese koaksijalni kabal RG59+2X0,75r	Koaksijalni kabl RG-59 sa 2x0.75mm2 Pobakreni	0,48 €	
00130	Koaksijalni kabal Cu RG59+2x0,75cu	Koaksijalni kabl RG-59 Cu sa 2x0.75mm2 Cu SQ	0,82 €	
00133	Četvorožilni 4C telefonski	Četvoržilni telefonski kabal za unutrašnju montažu	0,10 €	
00134	Alarmni kabal 6C-6x0,22	Alarmni kabal 6x0.22 sa zastitnom folijom	0,38 €	
00135	UTP kabal CAT5 CCA	UTP kabal CAT5 CCA, sivi, na metalici, pakovanje 305m.	0,23 €	
00136	UTP kabal CAT6CCA	UTP kabal CCA, sivi, na metalici, pakovanje 305m.	0,38 €	
00137	Zvučnički kabal 2x0,75 mm	Zvučnički kabl 2x0.75mm2 CRVENO-CRNI	0,21 €	
00138	Zvučnički kabal 2x1,0 mm	Zvučnički kabl 2x1mm2 PROVIDNI Cu	0,41 €	
00139	Zvučnički kabal 2x1,5 mm	Zvučnički kabl 2x1,5mm2 PROVIDNI Cu	0,58 €	
00140	Zvučnički kabal 2x2,5 mm	Zvučnički kabl 2x2,5mm2 PROVIDNI Cu	0,88 €	
00250	Koaksijalni kabal bijeli RG6 1,1 100m rolna zel.	Unutrašnji centralni provodnik: 1.1 ± 0,01 mm CCS Dielektrik: Virgin PE 4,80mm, physical foam Širm(okop): 17mm AL/PET foil + 3x16/0,12 mm CCA braiding Spoljašni omotač: PVC Jacket 6,80 ±0,2mm Impedansa; 75 ± 3Ω. Boja: bIjela. Pakovanje: 100m/rolna	0,14 €	

00251	Požarni kabal LSZH 2x1,0 mm		0,75 €	
00307	SCART KABAL 1,5m		1,20 €	
00334	KABAL USB MUSKI/USB ZENSKI 1,8M		2,00 €	
00335	KABAL MKCRCA-RCA 8mm 2M		3,50 €	
00346	Longse kabal LUTP5e - A050		0,20 €	
00347	Longse kabal LVP-RG59- R4		0,55 €	
00348	Longse kabal LVP-RG59- W1		0,70 €	
00349	Longse kabal LVP-RG59- R9		0,55 €	
00350	FTP CAT6		0,44 €	
00385	HDMI kabal 1,5m		2,20 €	
00450	Koaksijalni kabal RG59 - Made in Germany		0,70 €	

00622	Koaksijalni kabal RG59+2X0,75mm Siamese CCC Copper		0,68 €	
00627	Kabal VGA D-sub M/M 5M HQ feritno jezgro crni		3,63 €	
00628	Kabal VGA D-sub M/M 1,8m HQ feritno jezgro crni		2,49 €	
00630	Kabal VGA D-sub M/M 3M HQ feritno jezgro crni		3,55 €	
00718	Kabal strujni 2m 3 pina Euro IEC		1,63 €	
00732	Koaksijalni kabal bijeli RG6 1,1 100m rolna crv.		0,22 €	
Ostala oprema				
00295	Vook VB113-12V - video balun		1,20 €	
00297	Longse LST-202BW - video balun		2,50 €	
00085	VOOK video predajnik VB12L	Mini Video primo-predajnik L tip Prijenos video signala pasivni-pasivni do 300 m Prijenos video signala pasivni-aktivni do 1600 m Kabiranje mr. kablom UTP CAT 5 ili više 24-16 AWG (0 . 5-1 . 31mm) Napajanje nije potrebno	2,50 €	
00235	Dahua PFM800-4MP PASIVNI HDCVI BALUN ZA 4MP	Video balun sa kablíčem Transmisija u realnom vremenu preko UTP CAT5E/6 kabla, kompatibilan sa HDCVI/TVI/AHD/CVBS	2,70 €	
00515	Longse LVB-500C - video balun- 2kom	◆AHD/CVI/TVI video transmission with passive transceiver 720P/1080P/4M/5M/4K ◆AHD (720P: 300m, 1080P: 250m, 4/5MP: 200m, 4K: 150m) TVI (720P: 300m, 1080P: 250m, 4/5MP: 200m, 4K: 150m) CVI (720P: 300m, 1080P: 250m, 4/5MP: 200m, 4K: 150m)	5,70 €	

00088	Longse pasivni predajnik LST204	4 kanalni pasivni primo-predajnik + 1 kanal data Prijenos video signala pasivni - pasivni na udaljenost do 300 m KONEKTORI : UTP , RJ 45 konektor : 100 ohm Kabliranje mrežnim kablom UTP CAT 5 ili više 24-16 AWG (0 . 5-1 . 31mm) Napajanje nije potrebno, dimenzije 103 X 70 X 30	7,00 €	
00090	Longse mikrofoni MIC-01	Audio modul-mikrofon DC konektor za napajanje i RCA(cinc) za audio signal 12V/30mA	7,00 €	
00306	VB14		9,00 €	
00315	LS-HD-RJ103 UTC kontroler		8,00 €	
00325	HDMI SPLITTER 2 porta		35,00 €	
00323	HDMI SPLITTER 4 porta		45,00 €	
00521	HDMI SPLITTER 2.0 8 portova		60,00 €	
00331	USB Etender na UTP CAT5		22,00 €	
00332	HDMI TO VGA ADAPTER kabal 0,15m A-HDMI-VGA-03		10,00 €	
00801	Longse nosač BM001	Longse TV nosač za televizore dimenzija od 40" do 85"	20,00 €	 NOVO
00241	Vook nosač B225	Nosač za dome kamere mali Plastični nosač za nazidnu montazu malih dome kamera	7,00 €	
00292	OG KUTIJA 100X100X50	OG KUTIJA 100X100X51	2,25 €	

00527	Kutija IP65 190x140x70mm	Kutija IP65 190x140x70mm	4,80 €	
00528	Kutija IP65 150x110x70mm sa uvodnicama	Kutija IP65 150x110x70mm sa uvodnicama	4,20 €	
00529	Kutija IP65 240x190x90mm sa uvodnicama	Kutija IP65 240x190x90mm sa uvodnicama	13,60 €	
00583	Kutija IP65 120x150x80mm	Kutija IP65 120x150x80mm	4,00 €	
00720	Schellenberg Orman 200x300x130 ABS	Schellenberg Orman 200x300x130 ABS	15,00 €	
00721	Schellenberg Orman 300x400x170 ABS	Schellenberg Orman 300x400x170 ABS	24,50 €	
00722	Schellenberg Orman 400x500x240 ABS	Schellenberg Orman 400x500x240 ABS	36,80 €	

Cijene su sa uračunatim PDV -om.

Cjenovnik je informativnog karaktera i nije obavezujući. Za detaljniji opis artikala pogledajte sajtove proizvođača ili nas kontaktirajte na brojeve telefona ili email adresu.

Telefon Viber	068 028 528	videonadzor@podgor.me
--------------------------------	--------------------	------------------------------